

10
visi of

1. Eradicated

2. Eliminated

3. Control phase R

< DS ∅ FOC R.

1. GI - dysentery
 - cholera

2. Viral Hep

3. Measles

↳ Mumps

- - - - -

S. A. V. P. M. A. I. A

• sendology free

• symptoms sent

to VS.

Polio, TB

Measles

} Notifiable

~ ~ ~ ~ ~

Diphtheria
Rubella

IRISF →

1940

established

Sarlet

Christian

Ma'am

(In charge
Nurse)

Mumps

~~High or fever~~

• Sudden onset

• Can't feel margin

of tonsils

• Parotid
submandibular
sublingual

100% supra sternal
plane of tenderness +

✓ n/o contact
usually thru

o Droplet infectⁿ

Calculation is

180

necessary

o provide.
mask

o viral fever

o 10 days

all limiting

very rare

complications

- pancreatitis

- orchitis

gland can be
infected at
or

one 0

1 after other

BSPP in unit

A. Bilj - total
- direct

- ID

LBPT

LBOT

Se. Alls

Phosphate

If Indoor:

Ref A) B) E)

1' 1' + 1' ✓
0 0



sent to
vs Houp
micro Repa.

Measles
mumps

Clinical

Chicken pox

Now sampling.

Wood
sw ab

Confirmed
H2s.

10x

since
2 months

now

Diphtheria:
↓

gram
stain.

Bau³li,

the,

Culture -

for
conforman.

7. Phthoria

Fatalities more


is included

in NIS.

A parents

to

low gr. fever
cough
throat pain



imp.

O/E:

- congestion
- white patches
in throat

Ix:
throat swab

→ time is P_{swab}

Anti-Diphtheria

serum^s

* 2 vial^s

10,000 units

* Dose^s

acc. to

Clinical sensitivity

10,000 - 120,000
units.

$\frac{T}{iv}$ vs pint - iv.

im^o thigh.

Test done: 2

- 10 times dilve

- sheet

12 still

reaction:

epinephrine.

Saundice

Hepatitis

Pre Post
Hep Hep
Hepatic Hepatic

Prerenal



Nephrosis

↓
Obstructive

(gall stone
pancreas)



Postrenal

Alc liver

cirrhosis

Drug induced

↓ TB drug

SbP & very
high in

Hep. ⁰⁰ cell

damage.

(1) Remains

(N) range:

0-40

Hepatitis:

>500

Alc: not
much
raised,

Bill high

0
00

T/ parasite
+

Soft > 1000



Negative
unless proven

otherwise.

+

low gr fever

anorexia

nausea

vomiting

abd. pain

1 1/2

cholestatics

↓
severe pain,
murphy's
sign

Hepatitis

A E

B C D

Water & Draining
lines mix 3
when water
stops

↓

Armenia

we have



polls draining
water

contain

Hep virus.



now to identify?

Exages from \leq
pres

Endemic
area's

cholera

→

Rice watery
diam hoes;

» fast
dehydration

R: very easy

But on

inner
Dehydant^m

difficultly wall is:

eyeball work

feeble pub
n n 11.2/11

BT - difficult
to record

if vomiting is

indoor,

RL prefer.

is all

o v
o

we

minerals

Na

K

Cl

R2

7 + 1 not

↓ If not

NS

↓ If not

Ans

never ^(De) Dextrax

↓

asymmetric

actⁿ will
↑ se diarrhoea

ORS^o



Home ~~ORS~~^o



Coconut water.

∴ good K^+ .

Dysentery:

- freq, more
(40-50)

- no dehydratⁿ

- blood &
mucus.

measles
= maculo
papular

107
eyes congested
high of fever

Chicken pox!

~~Mr~~

Nomin

Anwar

Sir